

Allergy and Anaphylaxis Policy



The Cottesloe School

Policy Type:	Statutory
Reviewed by:	Mrs L Kay (Assistant School Business & Finance Manager) Ms M Randall (Link Governor), Mrs C Stirk (Policies Governor), Mrs R Hubber (Senior First Aider), Mr M Watson (Link Governor), Mr D Fox (Deputy Head) and Mr S Jones (Headteacher)
Date:	Autumn Term 2026
Adopted at:	Strategy Meeting - September 2026
Next review:	Autumn Term 2027 (earlier for any legislative change)

Contents

1. Aims and objectives	3
2. What is an Allergy?	3
3. Definitions	3
4. Roles and responsibilities	4
5. Information and Documentation	8
6. Assessing Risk	8
7. Food, Including meal times and snacks	8
8. Education Visits and Sport Fixtures	10
9. Insect stings	10
10. Animals	
11. Allergic Rhinitis/Hayfever	10
12. Inclusion and Mental Health	10
13. Adrenaline Devices	11
14. Responding to an Allergic reaction/Anaphylaxis	12
15. Training	
16. Asthma	12
17. Reporting Allergic reactions	13
18. Policy Review	13
19. Useful Links	13

1. Aims and Objectives

This policy outlines The Cottesloe School's approach to allergy management, in line with the Department for Education's guidance published in 2026 (Supporting children and young people with medical conditions and allergy -

<https://www.gov.uk/government/publications/allergy-safety-in-schools>).

Under the Children's Wellbeing and Schools Act 2026, schools must comply with Benedict's Law from September 2026 which introduces a consistent national framework for allergy safety in schools, requiring whole-school allergy policies, mandatory staff training, access to adrenaline devices, and the creation of Individual Healthcare Plans for students with allergies.

This policy outlines how the whole-school community works to reduce the risk of an allergic reaction occurring, and the procedures in place to respond effectively if one does. It also sets out how we support our students with allergies to ensure their wellbeing and inclusion, as well as demonstrating our commitment to being an allergy-aware school.

This policy applies to all staff, students, parents and visitors to the school and should be read alongside the Medical Conditions Policy and other related policies

- Safeguarding Policy
- Supporting Students with Medical Needs Policy
- First Aid Policy

2. What is an Allergy?

Allergy occurs when a person reacts to a substance that is usually considered harmless. It is an immune response and instead of ignoring the substance, the body produces histamine which triggers an allergic reaction.

Whilst most allergic reactions are mild, causing minor symptoms, some can be very serious and cause anaphylaxis, which is a life-threatening medical emergency.

People can be allergic to anything, but serious allergic reactions are most commonly caused by food, insect venom (such as a wasp or bee sting), latex and medication.

An allergy is different to an intolerance. Whilst an intolerance may cause uncomfortable symptoms it does not involve the immune system.

3. Definitions

ANAPHYLAXIS: Anaphylaxis is a severe allergic reaction that can be life-threatening and must be treated as a medical emergency.

ALLERGEN: A normally harmless substance that, for some, triggers an allergic reaction. You can be allergic to anything. The most common allergens are food, medication,

animal dander (skin cells shed by animals with fur or feathers) and pollen. Latex and wasp and bee stings are less common allergens.

Most severe allergic reactions to food are caused by just 9 foods. These are eggs, milk, peanuts, tree nuts (which includes nuts such as hazelnut, cashew nut, pistachio, almond, walnut, pecan, Brazil nut, macadamia etc), sesame, fish, shellfish, soya and wheat.

There are 14 allergens required by UK law to be highlighted on pre-packed food. referred to as the “main 14” in this policy. These allergens are celery, cereals containing gluten, crustaceans, egg, fish, lupin, milk, molluscs, mustard, peanuts, tree nuts, soya, sulphites (or sulphur dioxide), and sesame.

ADRENALINE AUTO-INJECTOR: Single-use device which carries a pre-measured dose of adrenaline. Adrenaline auto-injectors are used to treat anaphylaxis by injecting adrenaline directly into the upper, outer thigh muscle. Adrenaline auto-injectors are commonly referred to as AAls, adrenaline pens or by the brand name EpiPen. There are two brands licensed for use in the UK: EpiPen and Jext Pen. For the purposes of this Policy we will refer to them as Adrenaline Devices.

ALLERGY ACTION PLAN: This is a document filled out by a healthcare professional, detailing a person’s allergy and their treatment plan.

ASTHMA: Asthma is a common, long-term condition which affects the lungs. People with asthma have airways that are more sensitive and can become inflamed and narrow on exposure to certain triggers. This can lead to difficulty in breathing.

ASTHMA ACTION PLAN: This is a document filled out by a healthcare professional, detailing a person’s asthma, information about triggers, symptoms, medicines to be used if they have asthma symptoms, and when to seek emergency help when they have an asthma attack.

DESIGNATED ALLERGY LEAD: The member of staff responsible for overseeing allergy and asthma management across the school and acting as the main point of contact for students, parents/carers and staff. This is referred to as the named senior leader in the statutory guidance.

EMERGENCY RESPONSE PLAN: A document (also known as a Critical Incident Plan) that outlines a school's procedure for managing an emergency and should be fit for purpose to manage a serious allergic reaction (anaphylaxis).

EURNEFFY: EURNeffy (also known as Neffy) is a nasal spray which delivers adrenaline. It is a needle-free alternative to an adrenaline auto-injector.

INDIVIDUAL HEALTHCARE PLAN: A detailed document outlining an individual student’s medical conditions, history, treatment, risks and action plan. This document should be created by schools in collaboration with parents/carers and, where appropriate, students. All students with an allergy that require active management should have an Individual Healthcare Plan and it should be read in conjunction with their Allergy Action Plan. The long term health care plans can be found on our website: [Health Care Plan](#)

RISK ASSESSMENT: A detailed document outlining an activity, the risks it poses and any actions taken to mitigate those risks. Allergy should be included on all risk assessments for events on and off the school site.

SPARE ADRENALINE DEVICES: Schools are able to purchase spare adrenaline devices. These should be held as a back-up, in case students' prescribed adrenaline devices are not available. They can also be used to treat a person who experiences anaphylaxis but has not been prescribed their own adrenaline.

4. Roles and responsibilities

The Cottesloe School takes a whole-school approach to allergy management.

4.1 Named Allergy Governor

The Named Allergy Governor is Mark Watson. They work in partnership with the Designated Allergy Lead to ensure allergy safety is overseen at governing body level. They are responsible for:

- Ensuring allergy-related risks are included on the school's risk register and actively managed by the governing body.
- Providing strategic oversight of the school's Allergy Safety Policy, ensuring it is reviewed at least annually and published on the school's website.
- Acting as the governing body's named point of contact for allergy-related matters.
- Satisfying themselves that the school's allergy management arrangements meet legal and statutory requirements and reflect best practice.
- Receiving regular updates from the Designated Allergy Lead and ensuring the governing body is appropriately sighted on allergy compliance.
- Reviewing records of allergic reaction incidents and near-misses and ensuring the school acts on any learnings to reduce the risk of future incidents.

4.2 Designated Allergy Lead

The Designated Allergy Lead is Mr Fox, Deputy Head of School. They report to the Head Teacher.

They are responsible for:

- Leading the publication and implementation of a school-wide Allergy Safety Policy.
- Ensuring the safety, inclusion and wellbeing of students, staff and visitors with an allergy.
- Taking decisions on allergy management across the school.
- Championing and practising allergy and asthma awareness across the school.
- Being the overarching point of contact for staff, students and parents with concerns or questions about allergy management.

- Ensuring allergy information is recorded, up-to-date and communicated to all staff.
- Making sure all staff are appropriately trained, have good allergy awareness and realise their role in allergy management (including what activities need an allergy risk assessment).
- Ensuring staff, students and parents have a good awareness of the school's Allergy Safety Policy, and other related procedures.
- Reviewing the school's stock of spare adrenaline devices (checking the school has an appropriate number for the setting, that they hold the correct dose, that spare adrenaline devices are stored appropriately) and ensuring staff know where they are.
- Keeping a record of any allergic reactions or near-misses, reporting these to the governing body and appropriate authority (e.g. Under RIDDOR) where necessary, investigating the incidents and ensuring that the findings of investigations into incidents are used to update relevant policies and procedures.
- Regularly reviewing and updating the Allergy Safety Policy.
- Ensuring there is an anaphylaxis drill at least [once a year] and that lessons learned are used to update the allergy safety policy and school procedures as appropriate.

4.3 Senior First Aider

- Collecting and coordinating the paperwork (including Allergy Action Plans, Asthma Action Plans and Individual Healthcare Plans) and information from families to ensure that arrangements are in place before the student starts, or within 2 weeks for a mid-year transfer, liaising with the admissions team as needed.
- Working with HR to keep an updated list of staff with allergies (and creating an individual healthcare plan if necessary) and ensuring arrangements are in place to support them.
- Supporting the Designated Allergy Lead with disseminating this information to all school staff, including the catering team, occasional staff and those running clubs.
- Ensuring the information from families is up-to-date and reviewed annually (at a minimum), coordinating medication with families and ensuring medication is in date.
- Keeping an adrenaline device register to include adrenaline devices prescribed to students and the school's stock and location of spare adrenaline devices, including brand, dose and expiry date.
- Regularly checking spare adrenaline devices are where they should be, are easily accessible in case of emergency, and that they are in date.
- Replacing the spare adrenaline devices when necessary.
- Providing on-site adrenaline device training for staff and students and refresher training as required e.g. before school trips.

4.4 Admissions Team

The admissions team is likely to be the first to learn of a student or visitor's allergy. They should work with the Designated Allergy Lead and medical lead to ensure that:

- There is a clear method to capture allergy information or special dietary information at the earliest opportunity.
- There is a clear structure in place to communicate this information to the relevant parties (i.e. catering team).
- Parents/carers and applicants are informed of catering arrangements during admission events
- Plans are made for emergency medication if the child is to be left without parental supervision.
- There is liaison with the child's previous school, or future school to ensure a smooth transition between settings.

4.5 All staff

All school staff, including teaching staff, support staff, occasional staff (for example sports coaches, music teachers and those running breakfast and afterschool clubs are responsible for:

- Championing and practising allergy awareness across the school.
- Reading, understanding and putting into practice the Allergy and Anaphylaxis Policy and related procedures, and asking for support if needed.
- Being aware of students (and staff, when necessary) with allergies and what they are allergic to.
- Considering the risk to students with allergies posed by any activities and assessing whether the use of any allergen in activity is necessary and/or appropriate.
- Ensuring students always have access to their medication.
- Being able to recognise and respond to an allergic reaction, including anaphylaxis, after appropriate training.
- Taking part in training and anaphylaxis drills as required (at least once a year- Appendix 1). Whilst it is the school's responsibility to ensure staff have received annual training, if the member of staff is aware they have not received any allergy training in the last 12 months they should alert a manager.
- Considering the safety, inclusion and wellbeing of students with allergies at all times. Preventing and responding to allergy-related bullying, in line with the school's anti-bullying policy.
- Forwarding any communication or information that comes directly to them from parents/carers regarding allergens to the Senior First Aider.
- Ensuring that students have their medication and their Allergy Action Plan or Individual Health Care Plan with them when leaving school site, for a sports fixture or trip.

4.6 All parents/carers

All parents and carers (whether their child has an allergy or not) are responsible for:

- Being aware of and understanding the school's Allergy and Anaphylaxis Policy and considering the safety and wellbeing of students with allergies.
- Providing the school with information about their child's medical needs, including dietary requirements and allergies, history of their allergy, any previous allergic reactions or anaphylaxis. They should also inform the school of any related conditions, for example asthma, hay fever, rhinitis or eczema. This should be done through a long term care plan and emailed over to firstaid@cottesloe.bucks.sch.uk.
- Considering and adhering to any food restrictions or guidance the school has in place when providing food, for example in packed lunches.
- Refraining from telling the school their child has an allergy or intolerance if this is a preference or dietary choice.
- Encouraging their child to be allergy aware.

4.7 Parents/carers of children with allergies

In addition to point 4.6, the parents and carers of children with allergies should:

- Work with the school to fill out an Individual Healthcare Plan and provide an accompanying Allergy Action Plan.
- If applicable, provide their child with two labelled adrenaline devices and any other medication, for example antihistamine (with a dispenser, ie. spoon or syringe), inhalers or creams.
- Ensure medication is in-date and replaced at the appropriate time.
- Ensure their child has access to their allergy medication, including two adrenaline devices if prescribed, on the journey to and from school.
- Update school with any changes to their child's condition and ensure the relevant paperwork is updated too.
- Provide the school with an up-to-date photograph of their child and sign the associated permission for it to be shared appropriately as part of their allergy management.
- Support their child to understand their allergy diagnosis and to advocate for themselves and to take reasonable steps to reduce the risk of an allergic reaction occurring e.g. not eating the food to which they are allergic.

4.8 All Students

All students at the school should:

- Be allergy aware.
- Understand the risks allergens might pose to their peers and respect measures to support them.
- Learn how they can support their peers and be alert to allergy-related bullying.
- Older students will learn how to recognise an allergic reaction and support their peers and staff in case of an emergency.

- Adhere to food restrictions, If students are likely to be buying or bringing in food from home and are old enough to check the ingredients.

4.9 Students with allergies

In addition to point 4.8, Students with allergies are responsible for:

- Knowing what their allergies are and how to mitigate personal risk.
- Avoiding their allergen as best as they can.
- Understanding the importance of following the school specific processes of lunch and snack services and how that mitigates risk.
- Understanding that they should notify a member of staff if they are not feeling well, or suspect they might be having an allergic reaction.
- Carrying two adrenaline auto-injectors with them at all times, if age and capability appropriate. They must only use them for their intended purpose.
- Understanding how and when to use their adrenaline auto-injector.
- Talking to the Designated Allergy Lead or a member of staff if they are concerned by any school processes or systems related to their allergy.
- Raising concerns with a member of staff if they experience any inappropriate behaviour in relation to their allergies.
- Ensure they have their medication with them on the journey to and from school and school trips.

5. Information and Documentation

5.1 Register of Students and staff with an allergy

The school has a register of students who have a diagnosed allergy. This includes children who have a history of anaphylaxis or have been prescribed adrenaline devices, as well as students and staff with an allergy where no adrenaline devices have been prescribed. This is available on the management information system.

5.2 Individual Healthcare Plans

Each student with an allergy has an Individual Healthcare Plan. The information on this plan includes:

- Known allergens and risk factors for allergic reactions.
- A history of their allergic reactions.
- If the student has asthma and any other medical conditions and necessary details.
- Details of the medication the student has been prescribed including dose, this should include adrenaline devices, antihistamine etc.
- A copy of parental consent to administer medication, including the use of spare adrenaline devices in case of suspected anaphylaxis; and asthma inhalers.
- An indication of how the child's condition may impact on their learning or wellbeing.
- If the child is able to take responsibility for their condition including in an emergency.

- A photograph of each student and emergency contact details.
- A copy of their Allergy and/or Asthma Action Plan.

6. Assessing Risk

Allergens can crop up in unexpected places. Staff (including visiting staff) will consider allergies in all activity planning and include it in risk assessments. Some examples include:

- Classroom activities, for example craft using food packaging, science experiments where allergens are present, food lessons or cooking.
- Bringing animals into the school, for example a dog can pose a risk.
- Running activities or clubs where they might hand out snacks or food “treats”. Ensure safe food is provided or consider an alternative non-food treat for all students.
- Planning special events, such as cultural days and celebrations.

Inclusion of students with allergies must be considered alongside safety and they should not be excluded. If necessary, adapt the activity. The School will ensure compliance with the Equality Act 2010.

7. Food, Including meal times and snacks

7.1 Catering in school

The school is committed to providing a safe meal for all students, staff and visitors, including those with food allergies.

- Due diligence is carried out with regard to allergen management when appointing catering providers.
- All catering staff and other staff preparing food will receive relevant and appropriate allergen awareness training; This will be done by our catering provider HCL.
- Anyone preparing food for those with allergies will follow good hygiene practices, food safety and allergen management procedures.
- The catering team will endeavour to get to know the students with allergies and what their allergies are, supported by school staff.
- The catering team will endeavour to provide varied meal options to students and staff with allergies.
- The school has robust procedure in place to identify students with food allergies,
 - Pictures of students in staff areas and canteen office - specifying their allergy
 - Allergies are pulled through to the catering system and flag up on the screen when students make a purchase.
- Dishes and menus containing the main 14 allergens (see Allergens definition) will be clearly labelled using full words, not symbols or abbreviations. Other ingredient information will be available on request.

- Pre-packaged food will comply with PPDS legislation (Natasha's Law) requiring the allergen information to be displayed on the packaging.
- Where changes are made to the ingredients this will be communicated to students with dietary needs.

7.2 Food brought into school

As a large secondary school, we recognise that students have increasing independence over their food choices. However, to protect vulnerable members of our community the school is an allergen aware school. We have students with a wide range of allergies to different foods, so we encourage a considered approach to bringing in food;

7.2.1 Restricted Items (The "Nut-Aware" Rule)

- While the school cannot guarantee a completely nut-free environment, we are a 'nut-aware' school. We ask all members of the community to avoid bringing peanuts and tree nuts onto the school site to minimise risk to our vulnerable students.
- All food coming onto school premises or taken on a school trip or to a match should be checked by parents/carers to ensure peanuts and tree nuts are not an ingredient in another product. Please check the label on all foods brought in. Common foods that contain these goods as an ingredient include: packaged nuts, cereal bars, chocolate bars, nut butters, chocolate spread, sauces.

7.2.2 Shared Food

To minimise the risk of accidental exposure:

- No Food Sharing: Students are instructed not to share or swap food from their packed lunches or snacks.

Students are encouraged to keep food in its original packaging where possible so that ingredients can be verified by staff if an issue arises.

7.3 Food hygiene for students

- Students will wash their hands before and after eating.
- Sharing, swapping or throwing food is not allowed.
- Water bottles and packed lunches should be clearly labelled.

8. Education Visits and Sport Fixtures

- Staff leading the trip will have a register of students with allergies and details of their medication. Staff should notify the trip leader if they themselves have any allergies.
- Allergies will be considered on the risk assessment and catering provision put in place.

- Parents/carers, and students where appropriate, may be consulted if considered necessary, or if the trip requires an overnight stay.
- Staff (and some students, if appropriate) accompanying the trip will be trained to recognise and respond to an allergic reaction.

9. Insect stings

Those with a known insect venom allergy should:

- Avoid walking around in bare feet or sandals when outside and when possible keep arms and legs covered.
- Avoid wearing strong perfumes or cosmetics.
- Keep food and drink covered.

The site team will monitor the grounds for wasp or bee nests. Students (with or without allergies) should notify a member of staff if they find a wasp or bee nest in the school grounds and avoid them.

10. Animals

It's normally the dander (flakes of skin) saliva or urine that causes a person with an animal allergy to react.

Precautions to limit the risk of an allergic reaction include:

- A student with a known animal allergy should avoid the animal to which they are allergic.
- If an animal comes on site a risk assessment will be done prior to the visit.
- Areas visited by animals will be cleaned thoroughly.
- Anyone in contact with an animal will wash their hands after contact.
- School trips that include visits to animals will be carefully risk assessed.

11. Inclusion and Mental Health

Allergies can have a significant impact on mental health and wellbeing. Students may experience anxiety and depression and are more susceptible to bullying.

- Staff are alert to the possibility of allergy-related bullying and are proactive in safeguarding the wellbeing and inclusion of students with allergies.
- No student should be excluded from taking part in a school activity, whether on the school premises or a school trip because of their allergies.
- Students with allergies may require additional pastoral support including regular check-ins from their Tutor/Head of Year etc.
- Affected students will be given consideration in advance of wider school discussions about allergy and school Allergy Awareness initiatives.
- Bullying related to allergy will be treated in line with the school's anti-bullying policy.
- Uniform policies take into account that children may need emergency medication near them at all times.

12. Adrenaline Devices

[See the government guidance on Adrenaline devices in Schools.](#)

12.1 Storage of adrenaline devices

- Students prescribed with adrenaline devices will have easy access to two, in-date devices at all times.
- Students prescribed with adrenaline devices are expected to carry their own in-date devices on their person at all times, including during transit to and from school. A second, spare device should also be carried on them.
- Spot checks will be made to ensure adrenaline devices are where they should be and in date.
- Adrenaline devices must not be kept locked away.
- Adrenaline devices should be stored at moderate temperatures (see manufacturer's guidelines), not in direct sunlight or above a heat source (for example a radiator).
- Used or out of date devices will be disposed of as sharps.

12.2 Spare adrenaline devices

This school has spare adrenaline devices to be used in accordance with government guidance.

The locations of spare adrenaline devices are clearly signposted.

- Sport Hub Office
- Medical Office

The Allergy Lead is responsible for:

- Deciding how many spare devices are required.
- What dosage is required, based on the Resuscitation Council UK's age-based guidance.
- Which brand(s) to buy. (Schools are recommended to buy a single brand if possible to avoid confusion;).
- The purchasing of spare adrenaline devices. See government guidance above.
- Distribution around the site and clear signage.

12.3 Adrenaline devices on off-site activities

- No child with prescribed adrenaline devices will be able to go on a school trip without two of their own devices. It is the trip leader's responsibility to check they have them.
- Adrenaline devices will be kept close to the student at all times e.g. not stored in the hold of the coach when travelling or left in changing rooms.
- Adrenaline devices will be protected from extreme temperatures.

- Staff accompanying the students will be aware of students with allergies and be trained to recognise and respond to an allergic reaction.
- Consider whether to take spare adrenaline devices to off-site activities. This should be recorded as part of the risk assessment process.

13. Responding to an Allergic reaction/Anaphylaxis

See appendix 2 on recognising and responding to an allergic reaction

If a student has an allergic reaction:

- A student with a known allergy should be treated in accordance with their Allergy Action Plan and/or Individual Healthcare Plan.
- If anaphylaxis is suspected administer adrenaline without delay; using the school's spare device if needed.
- Anyone who has had suspected anaphylaxis and received adrenaline must go to hospital, even if they appear to have recovered. A member of staff should accompany them in an ambulance until a parent/carer or guardian arrives.

14. Training

The school is committed to ensuring that all staff receive regular (at least annual) allergy awareness training. This training should cover all staff, including teaching staff, support staff, catering staff, site staff and others who may oversee children at breakfast or after-school clubs.

This includes:

- Understanding what an allergy is.
- How to reduce the risk of an allergic reaction occurring.
- How to recognise and treat an allergic reaction, including anaphylaxis.
- How to treat an asthma attack using a reliever inhaler.
- How the school manages allergy, for example understanding the school's Allergy Safety Policy, emergency response, documentation, communication etc.
- How to check who has an allergy, and how to use an IHP and Allergy or Asthma Action Plan.
- Where adrenaline devices are kept (both prescribed devices and spare devices) and how to access them.
- The importance of inclusion of students with food allergies, the impact of allergy on mental health and wellbeing and the risk of allergy related bullying.
- Understanding food labelling.
- How to report an allergic reaction or near miss.
- Taking part in an anaphylaxis drill.

The school will carry out an anaphylaxis drill once a year. This involves an exercise simulating an event where a student or member of staff has an allergic reaction and testing the whole school response. -See Appendix

15. Asthma

The school understands that it is vital that students with allergies keep their asthma well controlled. Asthma can exacerbate allergic reactions and poorly managed asthma increases the severity of an allergic reaction.

- All students with asthma will have an Asthma Action Plan. Where relevant, an Asthma Action Plan will be in addition to an Allergy Action Plan.
- The Asthma Action Plan will be included in the students Individual Healthcare Plan, and will include medical and parental consent for staff to administer medicines, including an emergency reliever inhaler in the event of an asthma attack.
- Students known to have asthma should have their own reliever inhaler at school at all times and on the journey to and from school.
- Where a student is able to manage their asthma themselves, they should keep their inhaler on them.
- The school holds spare inhalers

16. Reporting Allergic reactions

The school will log allergic reaction incidents and near-misses via the school medical reporting system.

- Each record should include: Who was affected, what happened, when and where, why the incident occurred (as far as is known), how staff and the student responded; what was done to support the individual; whether emergency services were called and how the incident concluded.
- All incident reports should be shared with:
 - The students' parents or carers, who will be given the opportunity to discuss the incident and contribute their views to the review.
 - The Named Allergy Governor and the governing body, so they can consider what lessons to learn and whether policy changes are required.
- Any learning from an incident should be shared appropriately with staff so they can act on it.
- It may be necessary to share the report with other agencies, for example:
 - Schools that operate as food businesses must report any allergen-related food safety incidents to their local authority.
 - Incidents arising directly from a work activity that result in death or immediate hospitalisation must be reported to the Health and Safety Executive under RIDDOR.
- Following any incident or near miss the school will meet with the child or young person and their parents/ carers to ensure they are confident the setting remains safe.
- The school recognises the impact of an incident or near miss not just on the individual and their family, but also on staff who responded and children who witnessed it and will offer appropriate support.

16. Policy Review

This policy will be reviewed annually and updated as necessary to reflect changes in legislation, best practice, or school needs.

17. Useful links

<https://www.anaphylaxis.org.uk/>
<https://www.nhs.uk/conditions/anaphylaxis/>

Appendix 1

[Anaphylaxis Emergency Drill Protocol- The Cottesloe School](#)

Appendix 2 - Managing Allergic reactions

ALLERGIC REACTIONS VARY

Allergic reactions are unpredictable and can be affected by factors such as illness or hormonal fluctuations.

You cannot assume someone will react the same way twice, even to the same allergen.

Reactions are not always linear. They don't always progress from mild to moderate to more serious; sometimes they are life-threatening within minutes.

MILD TO MODERATE ALLERGIC REACTIONS

Symptoms include:

- Swollen lips, face or eyes
- Itchy or tingling mouth
- Hives or itchy rash on skin
- Abdominal pain
- Vomiting
- Change in behaviour

Response:

- Stay with student
- Call for help
- Locate adrenaline devices
- Give antihistamine. Note: if any signs of anaphylaxis are present, give adrenaline without delay.
- Make a note of the time
- Phone parent or guardian
- Continue to monitor the student for at least 60 minutes in case the reaction gets worse

SERIOUS ALLERGIC REACTIONS / ANAPHYLAXIS

The most serious type of reaction is called ANAPHYLAXIS. Anaphylaxis is uncommon, and children experiencing it almost always fully recover.

In rare cases, anaphylaxis can be fatal. It should always be treated as a time-critical medical emergency.

Anaphylaxis usually occurs within 20 minutes of eating a food but can begin 2-3 hours later.

People who have never had an allergic reaction before, or who have only had mild to moderate allergic reactions previously, can experience anaphylaxis.

RESPONDING TO ANAPHYLAXIS

SYMPTOMS OF ANAPHYLAXIS

A – Airway	B – Breathing	C - Circulation
• Persistent cough • Hoarse voice • Difficulty swallowing • Swollen Tongue	• Difficult or noisy breathing • Wheeze or cough	• Persistent dizziness • Pale or floppy • Sleepy • Collapse or unconscious

IF YOU SUSPECT ANAPHYLAXIS, GIVE ADRENALINE FIRST BEFORE YOU DO ANYTHING ELSE

DELIVERING ADRENALINE

1. Treat the patient where they are. Take the medication to the patient, rather than moving them.
2. The patient should be lying down with legs raised. If they are having trouble breathing, they can sit with legs outstretched.
3. It is not necessary to remove clothing but make sure you're not injecting into thick seams, buttons, zips or even a mobile phone in a pocket.
4. Inject adrenaline into the upper outer thigh according to the manufacturer's instructions. Students may be able to do this themselves, but some will require or want adult support. Whilst all members of staff should be trained, in an emergency, anyone can administer adrenaline.
5. Make a note of the time you gave the first dose.
6. Call 999 for an ambulance (or get someone else to do this while you give adrenaline). Tell them you have given adrenaline for anaphylaxis
7. Stay with the patient and do not let them get up or move, even if they are feeling better (this can cause cardiac arrest).

8. Call the students emergency contact.
9. If their condition has not improved or symptoms have got worse, give a second dose of adrenaline after 5 minutes, using a second device. Call 999 again and tell them you have given a second dose and to check that help is on the way.
10. Start CPR if necessary.
11. Hand over used devices to paramedics and remember to get replacements.
12. Anyone who has had suspected anaphylaxis and received adrenaline must go to hospital, even if they appear to have recovered. A member of staff should accompany them in an ambulance until a parent or guardian arrives.

For more information see the [Government's Guidance for the use of adrenaline auto-injectors in schools.](#)